

TVM20 TVM35

The instant measurement system

- ✓ Place and press functionality
- ✓ Measurement of larger components with moving stage
- ✓ Exceptional ease of use
- ✓ Small footprint



FM 584026

Vision Engineering Inc. has been certified for the quality management system ISO 9001:2008.


visioneng.us/tvm

Simply measure. Any shape.



A new class of measuring system from Vision Engineering. TVM20 and TVM35 mark the beginning of a new era for fast and flexible shop floor measurement. From the combination of advanced optical design and simple yet powerful software, comes a competent metrology system that can measure components of any shape.

User benefits:

- Measure entire components in seconds
- Use as a simple digital profile projector or a complete video measurement system
- **Go, No Go** simplicity with full geometric tolerancing
- Measure components of any shape; flat, square or cylindrical
- Compact, space saving design
- Modular software can be upgraded to enhance measurement capabilities




Ideal measurement system for a variety of applications including automotive, plastics, medical devices, precision engineering and electronics.



The TVM series utilizes flat field telecentric optics and illumination to create a sharp image of the component on its HD monitor and improves the video edge detection capability on complex parts significantly. The availability of a moving stage makes it possible to measure components larger than the field of view.



The TVM series come with the renowned M3 measurement software with a rich suite of features as well as simple data import/export and reporting facilities.



Measurements from stitched image

- Place and measure functionality
- Minimum training required
- Eliminates operator errors with instant measurement within the field of view
- Clearly see the video image and part view on a large HD monitor
- Tolerance reports and other essential data outputs


		TVM20	TVM35
Measuring range (X,Y):	FOV Mode	18mm x 14mm (20mm diagonal) 0.71" x 0.55" (0.79" diagonal)	28mm x 21mm (35mm diagonal) 1.1" x 0.83" (1.38" diagonal)
	With moving stage	200mm x 100mm (8" x 4")	200mm x 100mm (8" x 4")
Maximum component height	With fixed stage	-	100mm (4")
	With moving stage	68mm (2.7")	68mm (2.7")
Moving stage		•	o
Optics:		Telecentric lens	
Surface illumination:		Controllable and programmable LED illumination	
Substage illumination:		Controllable and programmable LED collimated illumination	
Image sensor		5MP USB 3.0 camera	
User interface		M series software in multiple languages	
Digital Comparator		•	•
Image stitching		•	•
Customisable report templates		•	•
Thread measurement		o	o
Wire insulation measurement		o	o
Data export		Multiple formats including .csv and .dxf	
Barcode scanner support		o	o
Weight	With fixed stage	-	10kg (22lbs)
	With moving stage	22kg (48.5lbs)	23kg (50.7lbs)
Dimensions (w x d x h)	With fixed stage	-	275 x 375 x 605 (max) mm 11" x 15" x 24"
	With moving stage	515 x 480 x 605 (max) mm 20" x 19" x 24"	515 x 480 x 605 (max) mm 20" x 19" x 24"

- Available as standard
- Available as an option

Find out more at: www.visioneng.com/tvm »

All product specifications and data are subject to change without notice.

Vision Engineering is a global manufacturer of ergonomic stereo microscopes, digital inspection systems and optical and video measuring systems.



- Direct Operations
- Distribution network

Since 1958, Vision Engineering has become one of the worlds most innovative and dynamic microscope suppliers.

For more information...

Vision Engineering has a network of offices and technical distributors around the world. For more information, please contact your Vision Engineering branch, local authorised distributor, or visit our website.

Distributor



Disclaimer – Vision Engineering Ltd. has a policy of continuous development and reserves the right to change or update, without notice, the design, materials or specification of any products, the information contained within this brochure/datasheet and to discontinue production or distribution of any of the products described.

Vision Engineering Ltd. (UK Manufacturing & Commercial)

The Freeman Building, Galileo Drive,
Send, Surrey, GU23 7ER, UK
Tel: +44 (0) 1483 248300
Email: generalinfo@visioneng.com

Vision Engineering Ltd. (Italia)

Via G. Paisiello 106
20092 Cinisello Balsamo MI, Italia
Tel: +39 02 6129 3518
Email: info@visioneng.it

Vision Engineering (South East Asia)

P-03A-20, Impian Meridian,
Jalan Subang 1,
USJ 1, 47600 Subang Jaya,
Selangor Darul Ehsan, Malaysia
Tel: +604-619 2622
Email: info@visioneng.asia

Vision Engineering (Mexico)

Tel: +01 800 099 5325
Email: infomx@visioneng.com

Vision Engineering Inc. (NA Manufacturing & Commercial)

570 Danbury Road,
New Milford, CT 06776, USA
Tel: +1 (860) 355 3776
Email: info@visioneng.com

Vision Engineering Ltd. (France)

ZAC de la Tremblaie,
Av. de la Tremblaie
91220 Le Plessis Paté, France
Tel: +33 (0) 160 76 60 00
Email: info@visioneng.fr

Vision Engineering (China)

Room 904B, Building B, No.970,
Nanning Road, Xuhui Vanke Center
Shanghai, 200235, P.R. China
Tel: +86 (0) 21 5036 7556
Email: info@visioneng.com.cn

Vision Engineering (Brazil)

Email: info@visioneng.com.br

Vision Engineering Ltd. (Central Europe)

Anton-Pendele-Str. 3,
82275 Emmerring, Deutschland
Tel: +49 (0) 8141 40167-0
Email: info@visioneng.de

Nippon Vision Engineering (Japan)

272-2 Saedo-cho, Tsuduki-ku,
Yokohama-shi, 224-0054, Japan
Tel: +81 (0) 45 935 1117
Email: info@visioneng.jp

Vision Engineering (India)

Tel: +91 (0) 80-5555-33-60
Email: info@visioneng.co.in



www.visioneng.us